

Supplementary webappendix

This webappendix formed part of the original submission and has been peer reviewed. We post it as supplied by the authors.

Supplement to: Assiri A, Al-Tawfiq JA, Al-Rabeeah AA, et al. Epidemiological, demographic, and clinical characteristics of 47 cases of Middle East respiratory syndrome coronavirus disease from Saudi Arabia: a descriptive study. *Lancet Infect Dis* 2013; published online July 26. [http://dx.doi.org/10.1016/S1473-3099\(13\)70204-4](http://dx.doi.org/10.1016/S1473-3099(13)70204-4).

Appendix to accompany:

Epidemiological, demographic and clinical characteristics of 47 cases of Middle East respiratory syndrome coronavirus disease from Saudi Arabia: a descriptive study

Abdullah Assiri,* Jaffar A Al-Tawfiq,* Abdullah A Al-Rabeeah, Fahad A Al-Rabiah, Sami Al-Hajjar, Ali Al-Barrak, Hesham Flemban, Wafa N Al-Nassir, Hanan H Balkhy, Rafat F Al-Hakeem, Hatem Q Makhdoom, Alimuddin I Zumla,* Ziad A Memish*

Clinical sample	Ct value
<i>Nasopharyngeal swab</i>	
	32.82
	33.55
	33.93
	34.26
	35.02
	35.02
	35.29
	36.64
	22.00
	38.00
	37.00
	22.00
	36.00
	23.00
	37.00
	28.00
	>40
	22.00
	38.00
	37.00
	22.00
	24.00
	37.00
	29.00
	23.00
<i>Tracheal aspirate</i>	
	19.85
	24.29
	34.26
	28.20
	30.45
	30.85
	31.46
	32.82
	34.35
	34.50
	37.37
	24.00
	24.00
	22.00
	21.00

Cycle threshold (Ct) values for viral load of 37 patients with MERS-CoV infections